

QL
483
.I5
C27

With Compliments —
Chatterjee
COT

Catalogue of Indian Insects

FIELD MUSEUM
OF
NATURAL HISTORY

JUN 14 1967

PART 5—Nitidulidae

BY

S. N. CHATTERJEE,
F.E.S.,

*Lower Grade Assistant, Entomological Branch,
Forest Research Institute, Dehra Dun.*



Issued under the authority of the Government of India.

CALCUTTA : GOVERNMENT OF INDIA
CENTRAL PUBLICATION BRANCH
1924

Price As. 10 or 1s.

The Catalogue of Indian Insects, of which the present instalment forms a part, is an inter-departmental publication, which is edited by a Standing Committee of Entomologists appointed by the Entomological Meetings held in India.

Editorial Committee.

- E. A. Andrews. (Rhynchota)
C. F. C. Beeson. (Coleoptera)
R. Senior-White. (Diptera)
T. Bainbrigge Fletcher. (All other Orders)
-

The following Parts have been issued or are under issue :—

1. Acrydidæ (Tettigidæ), by T. Bainbrigge Fletcher. 1921. Price As. 11.
2. Culicidæ, by R. Senior-White. 1923. Price Re. 1 As. 10.
3. Bombyliidæ, by R. Senior-White. 1923. Price As. 8.
4. Trypetidæ (Trypaneidæ), by R. Senior-White. 1924. Price As. 8.
5. Nitidulidæ, by S. N. Chatterjee. 1924. Price As. 10.
6. Staphylinidæ, by M. Cameron. (*In the press.*)

Other Parts are in preparation.

Copies are obtainable from the Imperial Entomologist, Pusa.


Catalogue of Indian Insects

PART 5—Nitidulidae

BY

S. N. CHATTERJEE,
F.E.S.,

*Lower Grade Assistant, Entomological Branch,
Forest Research Institute, Dehra Dun.*



Issued under the authority of the Government of India.

CALCUTTA: GOVERNMENT OF INDIA
CENTRAL PUBLICATION BRANCH
1924

**Government of India Publications are obtainable from the
Government of India Central Publication Branch,
8, Hastings Street, Calcutta, and from the
following Agents:—**

IN EUROPE.

OFFICE OF THE HIGH COMMISSIONER FOR INDIA,
42, GROSVENOR GARDENS, LONDON, S.W. 1.

Constable & Co., 10, Orange Street, Leicester Square,
London, W.C.
Kegan Paul, Trench, Trübner & Co., 68-74, Carter
Lane, E.C., and 39, New Oxford Street, Lon-
don, W.C.
Bernard Quaritch, 11, Grafton Street, New Bond
Street, London, W.
P. S. King & Sons, 2 & 4, Great Smith Street, West-
minster, London, S.W.
Grindlay & Co., 54, Parliament Street, London, S.W.
Luzac & Co., 46, Great Russell Street, London, W.C.
W. Thacker & Co., 2, Creed Lane, London, E.C.
T. Fisher Unwin, Ltd., 1, Adelphi Terrace, London,
W.C.

Wheldon & Wesley, Ltd., 2, 3 & 4, Arthur Street,
New Oxford Street, London, W. C. 2.
East and West Ltd., 3, Victoria Street, London, S.
W. 1.
B. H. Blackwell, 50 & 51, Broad Street, Oxford.
Deighton Bell & Co., Ltd., Cambridge.
Oliver and Boyd, Tweeddale Court, Edinburgh.
E. Ponsoby, Ltd., 116, Grafton Street, Dublin.
Ernest Leroux, 28, Rue Bonaparte, Paris.
Martinus Nijhoff, The Hague, Holland.
Otto Harrassowitz, Leipzig.
Friedlander und Sohn, Berlin.

IN INDIA AND CEYLON.

Thacker, Spink & Co., Calcutta and Simla.
W. Newman & Co., Ltd., Calcutta.
K. Cambay & Co., Calcutta.
S. K. Lahiri & Co., Calcutta.
The Indian School Supply Depôt, 309, Bow Bazar
Street, Calcutta, and 226, Nawabpur, Dacca.
Butterworth & Co. (India), Ltd., Calcutta.
Rai M. C. Searcar Bahadur & Sons, 90-2A, Harrison
Road, Calcutta.
The Weldon Library, 26, Chowringhee Road,
Calcutta.
Standard Literature Company, Limited, Calcutta.
Association Press, Calcutta.
Chukervetty, Chatterjee & Co., Ltd., 18, College
Square, Calcutta.
Higginbotham & Co., Madras.
V. Kalyanarama Iyer & Co., Madras.
P. R. Rama Iyer & Co., Madras.
Rochouse & Sons, Madras.
Bright & Co., Trivandrum.
V. S. Swaminathan, Bookseller, West Tower Street,
Madura.
Thacker & Co., Ltd., Bombay.
D. B. Taraporevala, Sons & Co., Bombay.
Sunder Pandurang, Bombay.
Ram Chandra Govind & Sons, Kalbadevi, Bombay.
N. M. Tripathi & Co., Booksellers, Princess Street,
Kalbadevi Road, Bombay.
Proprietor, New Kitabkhana, Poona.
The Manager, Oriental Book Supplying Agency,
15, Shukrawar, Poona City.
R. S. Gandhalekar's Book Depôt, Publisher and
Bookseller, Budhwar Chawk, Poona City.
Managing Director, Co-operative Bookstall, Book-
sellers and Publishers, Poona City.

The Standard Bookstall, Karachi, Rawalpindi,
Murree, Lahore and Quetta.
Karsandas Narandas & Sons, Surat.
A. H. Wheeler & Co., Allahabad, Calcutta and
Bombay.
N. B. Mathur, Supdt., Nazir Kanun Hind Press,
Allahabad.
The North India Christian Tract and Book Society,
18, Clive Road, Allahabad.
Ram Dayal Agarwala, 184, Katra, Allahabad.
Manager, Newal Kishore Press, Lucknow.
The Upper India Publishing House Ltd., 41,
Aminabad Park, Lucknow.
Munshi Seeta Ram, Managing Proprietor, Indian
Army Book Depôt, Juhl, Cawnpore.
Rai Sahib M. Gulab Singh & Sons, Mufid-i-Am Press,
Lahore and Allahabad.
Rama Krishna & Sons, Booksellers, Anarkali,
Lahore.
Puri Brothers, Booksellers and Publishers, Katcheri
Road, Lahore.
Manager of the Imperial Book Depôt, 63, Chandney
Chauk Street, Delhi.
Oxford Book and Stationery Company, Delhi.
Supdt., American Baptist Mission Press, Rangoon.
Proprietor, Rangoon Times Press, Rangoon.
The Modern Publishing House, Ltd., 30 Phayre
Street, Rangoon.
The International Buddhist Book Depôt, Post
Box No. 971, Rangoon.
Manager, the "Hitavada," Nagpur.
S. C. Talukdar, Proprietor, Students and Company,
Cooch Behar.
Times of Ceylon Co., Ltd.
The Manager, Ceylon Observer, Colombo.
Manager, The Indian Book Shop, Benares City.
B. C. Basak, Esq., Proprietor, Albert Library,
Dacca.

P R E F A C E .

THE Nitidulidae are generally of scavenging habits, but some live in flowers, in stored products, and in bees' nests, while others are predaceous on Scolytids and Coccids. There are in all 228 species up to the present recorded from India.

The family has been split up into six sub-families on the characters given below :—

The table is adapted from Grouvelle's paper in *Annales de la Société Entomologique de France*, Vol. LXXVII, 1908, 325 and 326 ; and from Reitter's *Fauna Germanica*, Vol. III, 11.

1	{	Maxilla with two lobes ; prosternal process absent	Cateritinæ.
		Maxilla with one lobe ; prosternal process almost always present	2
2	{	At least 2 segments of abdomen exposed	Carpophilinæ.
		At most pygidium exposed	3
3	{	Tarsi 4-jointed	Cybocephalinæ.
		Tarsi 5-jointed	4
4	{	Labrum clearly distinct from epistome	5
		Labrum soldered with epistome	Cryptarchinæ.
5	{	Middle and posterior tibiæ with single outer margin, dorsally without carina ; all tibiæ wide, their outer angles rounded off, or obliquely truncate ; the fore tibiæ notched or toothed	Meligethinæ.
		Middle and posterior tibiæ with double outer margin, the upper one directed dorsally ; all tibiæ truncate at end or with outer angle drawn into a tooth	Nitidulinæ.

To avoid repetition the following abbreviations are used in quoting references to literature :—

- A. J. *Annulosa Javanica*, London, 1825.
- A. M. G. *Annali del Museo Civico di Storia Naturale di Genova*, Genoa.
- A. M. N. H. *Annales and Magazine of Natural History*, London.
- A. N. *Archiv für Naturgeschichte*, Berlin.

- A. S. E. B. Annals de la Société Entomologique de Belgique,
Bruxelles.
- A. S. E. F. Annales de la Société Entomologique de France,
Paris.
- A. S. L. L. Annales de la Société Linnéene de Lyon, *Lyon.*
- B. C. A. Biologia Centrali-Americana, Coleoptera, Vol. II,
Part I, D. Sharp, *London*, 1890.
- B. E. R. Bulletin of Entomological Research, *London.*
- B. M. Bulletin de la Société Impériale des Naturalistes de
Moscou, Moscow.
- B. S. E. F. Bulletin de la Société Entomologique de France,
Paris.
- C. C. Catalogus Coleopterorum, Gemminger and Harold,
Tom. III, *Munich*, 1868.
- C. N. A. Classification of the Coleoptera of North America,
John L. Leconte, *Washington*, 1861.
- C. R. I. Coléoptères de la Région Indienne, A. Grouvelle
in Annales de la Société Entomologique
de France, Vol. LXXVII, 1908, 315-495,
Paris.
- D. A. A. Delectus Animalium Articulatorum, *Munich*, 1830-
34.
- D. E. Z. Deutsche Entomologische Zeitschrift, *Berlin.*
- E. Études entomologiques ou descriptions des insectes
Nouveaux et observations sur leur Synonymie
(Carnassiers), *Laporte, Paris*, 1834-35.
- E. B. Entomologische Blätter, *Berlin.*
- E. B. E. The Elements of British Entomology, Shuckard,
London, 1839.
- E. E. Études Entomologiques, Victor Motschulsky, *Hel-
singfors*, Vol. I-X, 1853-62.
- E. M. M. Entomologists' Monthly Magazine, *London.*
- E. S. Entomologia Systematica, J. H. Fabricius, *Hafnia*,
1792.
- F. G. K. Fauna Germanica, Käfer III, E. Reitter, *Stuttgart*,
1911.
- F. H. Fauna Coleopterorum Helvetica, O. Heer, *Turici*,
1841.
- G. C. Genera des Coléoptères, Lacordaire, Vol. II, *Paris*,
[1854 (1855)].
- G. Z. Germar Zeitschrift [Zeitschrift für die Entomol-
gie], Vols. IV-V. *Leipzig*, 1843-44.

- I. B. E. . . . Illustrations of British Entomology, J. F. Stephens, London, 4 Vols., 1828-35.
- I. F. I. . . . Indian Forest Insects, E. P. Stebbing, London, 1914.
- I. M. . . . Insecta Maderensia, T. V. Wollaston, London, 1854.
- J. E. E. . . . Journal of Economic Entomology, Concord, N. H.
- K.M. . . . Die Käfer von Mitteleuropa Ganglbauer, Vol. III, ii, Clavicornia, Vienna, 1899.
- M. B. C. S. . . . Monthly Bulletin, California State Commission Horticulture, Sacramento.
- M. N. . . . Monograph of the family Nitidulariæ, A. Murray, in Transactions of the Linnean Society, London, Vol. XXIV, 211-414, London, 1864.
- N. L. M. . . . Notes from the Leyden Museum, Leyden.
- N. J. . . . Die Nitiduliden Japans, E. Reitter in Wiener Entomologische Zeitung, III & IV, Vienna, 1884 & 1885.
- N. R. . . . Répertoire des Coléoptères d'Europe décrits isolément depuis 1864, Marseul, L'Abeille, Paris, Vols. IX, XXII and XXIII.
- P. L. W. . . . Proceedings of the Linnean Society of New South Wales.
- R. I. M. . . . Records of the Indian Museum, Calcutta.
- R. N. . . . Reise der österreichischen Fregatte Novara um die Erde, Zoologischer Theil, band II, Coleoptera, Redtenbacher, Vienna, 1867.
- R. P. E. M. . . . Report of the Proceedings of the 4th Entomological Meeting, Pusa, Calcutta, 1921.
- S. C. . . . Skandinaviens Coleoptera Synoptiski bearbetade, 1862.
- S. E. . . . Systema Eleutheratorum, etc., J. C. Fabricius, 2 Vols., Kilia, 1801.
- S. N. . . . Systema Naturæ, C. Linnaeus, 2 Vols., Holmiæ, 1758-59.
- S. E. N. . . . Syst. Eintheil. Nitidulidæ, Reitter, in Verhandlungen des Naturforschenden Vereins Zu Brünn, XII, 1873.
- T. E. S. L. . . . Transactions of the Entomological Society, London.
- V. N. V. B. . . . Verhandlungen des Naturforschenden Vereins Zu Brünn.
- W. E. Z. . . . Wiener Entomologische Zeitung, Vienna.
- Z. A. E. . . . Zeitschrift für Angewandte Entomologie, Berlin.
- Z. M. . . . Zoologisches Magazin, Kiel.

Keys to genera will be found in references quoted under each subfamily and the species under each genus.

Habits and bionomics of the species occurring in India are given under biology under each species and under genera when they are represented by Indian species.

S. N. CHATTERJEE.

DERA DUN,

The 11th September 1924.

Catalogue of Indian Insects.

PART 5.

NITIDULIDÆ.

Nitidularia propria Latreille (1807), Gen. Crust. Ins. II, 10-19 (pars.).

Nitidularia Murray (1864), M. N. 211-414.

Nitidulidæ Ganglb. (1899), K. M. 411 & 442-

565 [key to tribes]—Grouv. (1908),

C. R. I. 329-397 [key to tribes]—

Reitter (1911), F. G. K. 10-41 [key to tribes].

BIOLOGY : Erichson (1845), Naturg. Ins. Deutschl. III, 124—Rupertsberger (1880), Biol. Käf. Eur. 127-130—Thomson (1862), S. C. IV. 137—Rey [1886 (87)], Essai d'études sur certaines larves de Col. Ann. Soc. Linn. Lyon, XXXIII, 173-174; sep. ed. André, Beaune 43 & 44—Ganglb. (1899), K. M. 445—Reitter (1911), F. G. K. 10—Peyerimhoff (1921), B. S. E. F., 284—Verhoeff (1923), A. N. 2-109, pl. I-III & VII.

CATALOGUES : Schönherr (1808), Synon. Ins. I, 2, 135-150—Gemminger & Harold (1868), C. C. III, 802-838—Grouv. (1913), Col. Cat. Junk. Pars. 56.

I. CATERETINÆ.

Cateretes Erichson (1843), G. Z. IV, 226-227.

Brachyptérides Lacord. [1854 (1855)], G. C. 290 & 291 [key to tribes and genera].

- Brachypteridæ* Murr. (1864), M. N. 230-231
[key to tribes and genera].
Cateretini Ganglb. (1899), K. M. 447 & 448
[key to genera]—Grouv. (1908), C. R. I.
325—Reitter (1911), F. G. K. 11-12
[key to genera].
BIOLOGY: Verhoeff (1923), A. N. I. 8-11,
18-22, 66-72.

Heterhelus Jacq. du Val.

- Jacq. du Val. (1858), (Subg. *Cercus*) Gen.
Col. d'Eur. II 137—Murr. (1864),
(Subg. *Cercus*) M. N. 23 & 239—
Ganglb. (1899), K. M. 448 & 451.
Amartus Reitt. (1875), Eur. Nitid. 2 (pars).
Cateretes Heer (1841), F. H. I, 410 (pars).
kraatzi Grouv. (1903), A. S. E. F. LXXII, Darjiling¹
108¹.

II. MELIGETHINÆ.

- Meligithina* Thoms. (1859), S. C. I, 67—
(1862), IV, 151—(1867), IX, 368.
Meligethini Seidl. (1872), Fn. Balt. ed. I, 49—
Reitt (1911), F. G. K. 11 & 15 [key
to genera].

2. *Pria* Steph.

- Steph. (1830), I. B. E. III. 30-49—Lacord.
[1854 (1855)], G. C. 301 & 312—
Ganglb. (1899), K. M. 464 & 535—
Grouv. (1908), C. R. I. 340 & 367
[key to species].
Cormyphora Cast. (1840), Hist. Nat. Col.
II, 12.
Laria Scop. (1763), Entom. Carn. 21 (pars).
apicalis Grouv. (1894), A. S. E. B. XXXVIII, Kurseong¹
582¹—(1908), C. R. I. 367.
ceylonica Grouv. (1902), A. S. E. F. LXXI, Ceylon¹
481¹—(1908), C. R. I. 367.

- diluticollis** Grouv. (1913), R. I. M. VII, 2, North-East Assam¹
102¹.
- indica** Grouv. (1894), A. S. E. B. XXXVIII, Kurseong¹]
581¹—(1908), C. R. I. 366 & 367². Pegu²
Sumatra²
- latipes** Grouv. (1908), C. R. I. 366 & 367¹, Nilgiris¹
t. 6. f. 7.
- mirmidon** Grouv. (1913), R. I. M. VIII, 2, Dibrugarh¹
101.¹
- pallida** F. (*Nitidula*) (1801), S. E. I, Ceylon¹
349—Ol. (*Nitidula*) (1811), Encycl.
méth. VIII, 216—Motsch. (1858),
E. E. VII, 131—Reitt. (1873),
S. E. N. 59 [note]—Grouv. (1908),
C. R. I. 365¹ & 367 [footnote].
- plagiata** Grouv. A. S. E. B., XXXIII, 582¹ Kurseong¹
—(1908), C. R. I. 367.

3. *Meligethes* Steph.

- Steph. (1830), I. B. E. III, 30 & 45 (pars)—
Lacord. [1854 (1855)], G.C. 301 & 313
—Ganglb. (1899), K. M. 464, 492 &
535 [key to species]—Grouv. (1908),
C. R. I. 340 & 367-377 [key to species].
- Subgen. *Acanthogethes* Reitt. (1911), F. G. K.
16—Ganglb. (1899), K. M. 494.
- Subgen. *Odontogethes* Reitt. (1911), F. G. K.
16—Ganglb. (1899), K. M. 494.
- BIOLOGY.—Omerod (1874), E. M. M. 46-52—
Perris [1875 (1876)], A. S. L. L. 298,
sep. ed. Deyrolle (1867), 40—Kras-
silstchik (1915), Report of Bio-Entom.
Station Bessarabia, 1914, Kishinev,
49 [control]—Lind, Rostrup & Kølpin
Ravn (1915), Oversøgt over Land-
brugsplanternes Sygdomme i 1914,
Beretning fra Statens Forsøgsvirk-
somhed i Plantekultur 31, København
[control]—Kemner (1918), Rapsbaggen
Central—anstalten för Jordbruksför-
sök, 1917, Flygblad, 64, Entom.

Avdelningen, 17, 4, fig. 3 [control]—Hukkinen (1919). Om Rapsbaggen Och dess Avvarjände, Meddelanden till Landtmän No. 58 fran Agrikulture ekonomiska Försöksanstalten Finland, Entom. avdeln. 8 figs. 1-6 [bionomics and control]—Voss (1919), Rapsglanzkäfer und Rapsverborgenrüssler, Schaffnits Flugblattsammlung über Pflanzenschutz, Bonn-Poppelsdorf, Flugblatt 14, April 1919 [control]—Heikertinger (1920), Untersuchungen über die standpflanzen der Blütenkäfergattungen, E. B. XVI, 4-9, 126-143 [bionomics]—Friederichs (1920), Untersuchungen über Rapsglanzkäfer in Mecklenburg, Z. A. E. VII, 1, 1-36, figs. 1-13, plates 1-2 [bionomics & control]—Burkhardt & Lengerken (1920), Z. A. E. VI, 270-295, figs. 1-32 [egg, larva, pupa]. Verhoeff (1923), A. N. 10, 63-64, 68-70, pl. III, figs. 31, 32, 36, 41 & 42.

- andrewesi** Grouv. (1908), C. R. I., 370¹ & 377 Nilgiris¹
arrowi Grouv. *l. c.* 373¹ & 375 (*Acanthogethes*). Nilgiris¹
binotatus Grouv. (1894) A. S. E. B. Chacuba¹
 XXXVIII, 460¹—(1908) C. R. I. 375². Pegu²
braeti Grouv. *l. c.* 583¹—*l. c.* 375. Kurseong¹
cardoni Grouv. *l. c.* 584¹—*l. c.* 376. Barway¹
castanescens Grouv. (1903), A. S. E. F. Darjiling¹
 LXII, 114¹—(1908), C. R. I. 376 (*Odontogethes*).
crassus Grouv. (1908), C. R. I. 369¹ & 377. Nilgiris¹
cribrosus Grouv. *l. c.* 368¹ & 375. Bombay¹
 Nilgiris¹
curvipes Grouv. *l. c.* 373¹ & 374 (*Acanthogethes*). Madura¹
 Nilgiris¹
ferrugineus Reitt. [1872 (1873)], V. N. V. B. Sikkim¹
 51, sep. 3—Grouv. (1908) C. R. I. 376¹.

- foedus** Grouv. (1908), C. R. I. 370¹ & 377. Nilgiris¹
luminosus Reitt. (1873), S. E. N. 72—Grouv. Ceylon¹
l. c. 376.¹
luteolus Reitt. *l. c.* 75—Grouv. *l. c.* 377.¹ Ceylon¹
melleus Grouv. *l. c.* 371¹ & 376. Pegu¹
mixtus Grouv. *l. c.* 368¹ & 375. Nilgiris¹
?politus Motsch. (1863), B. M. XXXVI, II Ceylon¹
 442—Reitt. (1873), S. E. N. 71.¹
rubricollis Grouv. (1903), A. S. E. F. LXXII, Nilgiris¹
 125¹—(1908), C. R. I. 375.
rufithorax Grouv. (1894), A. S. E. B. Belgaum¹
 XXXVIII, 460¹—(1908), C. R. I. 376.
waterhousei Grouv. (1908), C. R. I. 372¹ & Nilgiris¹
 375.

III. CARPOPHILINÆ.

- Carpophilinae* Er. (1843), G. Z. IV, 226 & 233.
Carpophilides Lacord. [1854 (1855)], 290 &
 293.
Carpophilini Ganglb. (1899), 447 & 457—
 Grouv. (1908), C. R. I. 326—Reitt.
 (1911), F. G. K. 11 & 14.
Carpophilidæ Murr. (1864), M. N. 230 & 255—
 Reitt. (1873), S. E. N. 7.

4. Brachypeplus Er.

- Erichs. (1843), G. Z. IV 245—Lacord. [1854
 (1855)], G. C. 293 & 297—Murr. (1864),
 M. N. 257 & 286-309 [key to species]—
 Grouv. (1908), C. R. I. 326-328 [key
 to species].
Nitidulopsis Wlk. (1858), A. M. N. H.
 (3) II, 206—Olliff (1885), P. L. W. X,
 70.
 Subgen. *Leiopeplus* Murr. (1864), M. N.
 287 & 304.
 Subgen. *Liparopeplus* Murr. *l. c.* 287 &
 306.
 Subgen. *Onicotis* Murr. *l. c.* 287 & 288.

Subgen. *Selis* Murr. *l. c.* 287 & 302.

Subgen. *Tasmus* Murr. *l. c.* 287 & 290.

- aequalis** Walk. (*Nitidulopsis*), 1858, Ceylon¹
 A. M. N. H. (3) II, 206¹—Olliff (1885),
 P. L. W. X, 70—Grouv. (1908), C. R. I.
 328.
- birmanicus** Grouv. (1892), A. M. G., XXXII, Burma¹
 834¹.
- dubreuili** Grouv. (1908), C. R. I, 327 & Madura¹
 328¹.
- feai** (*feæ*) Grouv. (1892), A. M. G. XXXII, Burma¹
 835.¹
- latus** Murr. (1864) M. N. 301¹ & 309. Singapore¹
 Sarawak¹
- lowei** Murr. *l. c.*, 301¹ & 309. Borneo¹
- notatus** Murr. *l. c.*, 300¹ & 309—Grouv. Ceylon¹
 (1908), C. R. I. 328.
- obesus** Grouv. (1895) B. S. E. F. CCLVIII.¹ East Indies¹
- patruelis** Murr. (1864), *l. c.*, 299¹ & 309. East Indies¹

5. *Cillæus* Laporte.

Laporte, (1835) E. E. 138—Erichs. (1843),
 G. Z. IV 247—Lacord. [1854 (1855)],
 G. C. 293 & 297—Murr. (1864), M. N.
 311—Grouv. (1906), A. S. E. F. LXXXV,
 68—(1908), C. R. I. 327 & 329.

- latus** Grouv. (1908), C. R. I. 329¹. Nilgiris¹
- simoni** Grouv. (1893), A. S. E. F. LXII, 383¹. Ceylon¹

6. *Platynema* Rits.

Ritsema (1885), N. L. M. VII, 29—Grouv.
 (1908), C. R. I. 327.

Orthogramma Murr. (1864), M. N. 318.

- breviceps** Murr., *l. c.*, 323.¹ Nicobars¹
- olliffi** Rits. (1885), N. L. M. VII, 29¹. Andamans¹

7. *Carpophilus* Steph

Steph. (1830), I. B. E. III, 50—Lacord.
[1854 (1855)], G. C. 293 & 295—Murr.
(1864), M. N. 341-398 [key to species]
—Ganglb. (1899), K. M. 458—Grouv.
(1908), C. R. I. 327 & 330-338 [key
to species]—Blair (1922), E. M. M.
LVIII, 3,65 [key to species].

BIOLOGY : Perris, (1853), A. S. E. F. (3) I,
593, sep. I (1863), 71, t. 18, figs. 69-
76—Murtfeldt (1903), Ent. News,
XIV, 293—Steb. (1914), I. F. I. 109—
Dash. (1916), Rept. Dept. Agric.
Barbados, 1914-15, 38-44—Rutgers
(1918), Verslag Van den Directeur
Van het Algemeen Proefstation der
A. V. R. O. S., 1-VII-17—30-VI-18, 44
—Zwaluwenburg (1918), Rept. Porto
Rico Agric. Expt. Sta. 1917, 31-34—
Roepke (1918), Entomologische onder-
zoekingen 1917-18, 13-14 [control]—
Ghosh (1921), R. P. E. M. 108.

Subgen. *Tribrachys*, Lec. (1861), C. N. A.
83.

Subgen. *Ecnomorphus* Motsch. (1858),
E. E. VII, 42—Murr. (1864), M. N.
385.

Subgen. *Eidocolastus* Murr. *l. c.* 399—
Grouv. (1908), C. R. I. 327 (note).

Idocolastus Gemm. & Harold (1868),
C. C. III, 814.

Subgen. *Endomerus* Murr., *l. c.*, 384.

Nitops Murr. *l. c.* 382—Grouv. (1896),
A. S. E. F. LXV, 178.

Subgen. *Heterodontus* Murr. *l. c.* 342.

Subgen. *Microxanthus* Murr. *l. c.*
389.

Subgen. *Myothorax* Murr. *l. c.* 372.

Subgen. *Stauroglossicus* Murr. *l. c.* 398—
Grouv. (1908), C. R. I. 327 [note].

Subgen. *Urophorus* Murr. *l. c.* 342.

- bicolor** Grouv. (1892), A. M. G. XXXII, Burma¹
836¹ & 838—Grouv. (1897), l. c.
XXXVIII, 351 (*Urophorus*).
- bifenestratus** Murr. (1864), M. N. 364¹ & Ceylon¹
396—Grouv. (1908), C. R. I. 330² & Kurseong²
337. Mahe²
- biguttatus** Motsch. (1858), E. E. VII, 43—India¹
Murr. (1864), M. N. 337—Grouv.
(1908), C. R. I. 333¹ & 338 (*Ecnomorphus*).
- cribratus** Murr. l. c. 369¹ & 397. East Indies¹
- cylindricus** Murr. l. c. 382¹ & 397—Grouv. Ceylon¹
(1908), C. R. I. 337 (*Myothorax*).
- dimidiatus** F. (*Nitidula*) (1792), E. S. I, 1, Cosmopolitan.
261—Murr. l. c. 379 & 397—Ganglb.
(1899), K. M. 459 & 460—Grouv.
(1908), C. R. I. 332 & 337.
- BIOLOGY**: Morrill (1913), J. E. E. VI, 2, 185-
195—Wimhurst (1920), Ad. Rept.
Agric. Directorate [Mesopotamia],
1919, 39-41—Buxton (1920), B. E. R.
294—Essig (1921), M. B. C. S. X, 4,
140-143, 3 figs.
- auropilosus* Woll. (1854), I. M. 117.
- levisi* Reitt. (1884), N. J., 258 & 300—
Grouv. [1912 (1913)], A. S. E. F.
LXXXI, 388.
- pusillus* Steph. (1830), I. B. E., 51.
var. *contigens* Wlk. (*Nitidula*), (1858),
A. M. N. H. (3) II, 206—Olliff (1885),
P. L. W. X, 69—Grouv. (1908),
C. R. I. 332.
- biguttatus* Gemm. & Harold (1868), C. C.
810.
- dilutus* Murr. (1864), M. N. 373.
- limbalis* Murr. l. c. 373.
- nigritus* Murr. l. c. 373.
- robustus* Murr. l. c. 373.
- testaceus* Murr. l. c. 373.
- vittiger* Murr. l. c. 373—Grouv. (1908),
C. R. I. 332.

- var. *fumatus* Boh. (1851), Ins. Caffr. I, 2,564—Murr. *l. c.* 375 & 397.
- var. *luridus* Murr. *l. c.* 377 & 397.
- var. *mutilatus* Er. (1843), G. Z. IV, 258—Murr. *l. c.* 378 & 397—Grouv. (1908), C. R. I. 322—Steb. (1914), I. F. I. 108.
- hemipterus* F. (*Nitidula*) (1792), E. S. I. 261.
- bimaculatus* Montr. (*Ips*) (1860), A. S. E. F. (3) VIII, 262.
- puberulus* Montr. (*Ips*) *l. c.* 263.
- var. *ochropterus* Klug (1862), Peter's Reise, 209, t. 12, f. 9—Murr. (1864), M. N. 377 & 397—Fairm. (1869), A. S. E. F. (4) IX, 200—Grouv. (1908), C. R. I. 332.
- tempestivus* Jacq. du Val. (non Er.) (1856), Hist. Cuba, Ins. 42, ed. 8°, 1857, 96—Chevr. (1863), A. S. E. F. III, 602.
- dubitabilis** Grouv. (1897), A. M. G. Ceylon¹
XXXVIII, 355¹—Grouv. (1908), Burma²
C. R. I. 336² & 338 (*Stauroglossicus*).
- erythronus** Grouv. (1898), A. S. E. B. Bengal¹
XLII, 110¹—(1908), C. R. I. 338.
- familiaris** Grouv. (1897), A. M. G. Tenasserim¹
XXXVIII, 353¹.
- feai** (*feae*) Grouv. (1890), *l. c.* XXIX, 120—Burma.
(1892), XXXII, 338—(1897),
XXXVIII, 351 (*Urophorus*).
- flavipes** Murr. (1864), M. N. 359¹ & 395—Celebes¹
Grouv. (1908), C. R. I. 337—Steb. Singapore¹
(1914), I. F. I., 109², f. 72 [biol.] Siwaliks²
- fulvipes** Motsch. (1858), E. E. VII 42—Murr. Ceylon¹
l. c. 352¹ & 395—Grouv. (1908),
C. R. I. 338.
- var. *fuscus* Motsch. *l. c.* 42¹.
- funereus** Murr. *l. c.* 358¹ & 396—Grouv. Ceylon¹
l. c. 338.
- hebetatus** Grouv. *l. c.* 334 & 338, t. 6, f. 1. Bengal¹
fulvipes Grouv. (1894), (non Motsch.), Belgaum¹

A. S. E. B. XXXVIII, 578—(1908), Nilgiris
C. R. I. 335¹.

hemipterus L. (*Dermestes*) (1758), S. N. X, Cosmopolitan.
358—(1767), XII, 1, 2, 565—Murr.
(1864), M. N. 362 & 395—Ganglb.
(1899), K. M. 439 & 460—Grouv.
(1908), C. R. I. 337—Blatchley (1910),
Cat. Col. Indiana, 631 & 632, fig.
(*Myothorax*).

BIOLOGY : Perris [1875 (1876)], A. S. L. L.
XXII, 303, f. 33 & 34, sep. ed. Dey-
rolle (1877), 45, f. 33 & 34—French
(1911), Jl. Dept. Agr. Victoria, IX,
640—Steb. (1914), I. F. I. 108, f. 71—
Essig (1915), J. E. E. VII, 396-400, 4
figs. [control]—Morrill (1917), 9th Ann.
Rept. Arizona Commiss. Agric. &
Hortic. 30-VI-17, 15-61—De Ong
(1918), M. B. C. S. VII, 6, 429 [con-
trol]—Gurney (1918), Agric. Gaz.,
N. S. W., XXIX, 9, 641-650, 11 figs.—
Maskew (1919), M. B. C. S. VII, 6,
429-432—Morris (1920), Ann. Trop.
Med. Parasit. XII, 4, 339-342—Essig
(1920), M. B. C. S. IX, 3, 119-125, 5
figs. [control]—Maskew & Strong *l. c.*
12, 721-735—Poutiers (1921), Bull.
Soc. Path. Vég. France, VIII, 1, 45-
46—De Ong (1921), J. E. E. XIV, 5,
444-447 [control].

bimaculatus L. (1767), S. N. ed. XII, 1,
2, 569—Ol. (*Nitidula*) (1790), Ent.
II, 12, p. 4, t. 2, f. 11—Melsh. (*Cercus*)
(1844), II, 105.

brevipennis Germain (1835), Anales Unio.
Chile, 397.

cadaverinus F. (*Nitidula*) (1801), S. E. I.
354.

dimidiatus Heer (*Cateretes*) (1841),
F. H. I, 413.

fuscus F. (*Stenus*) (1801), S. E. 603.

- flexuosus* Herbst. (*Nitidula*) (1790), Käf.
V, 246, t. 54, f. 5.
- pictus* Heer (*Cateretes*) (1841), F. H. 413.
- quadriguttatus* Thunb. (*Nitidula*) (1794),
Ins. Suec. V. 70.
- var. *quadratus* F. (*Nitidula*) (1798),
Suppl. E. S. 74.
- var. *quadrisignatus* Er. (1843), G. Z. 257
—Murr. (1864), M. N. 363 & 396.
- heros** Grouv. (1892), A. M. G. XXXII, 836¹ Burma¹
& 838—(1897), *l. c.*, XXXVIII, 351.
- humeralis** F. (*Nitidula*) (1798), E. S. Suppl. India.
74—Murr. (1864), 343 & 394—Grouv. —————
(1892), A. M. G. XXXII, 838—(1897), Trop. Africa
XXXVIII, 351—(1908), C. R. I. 330 Madagascar
& 336 (*Urophorus*)—Muir (1918), Seychelles
T. E. S. L. 224, pl. X, f. 7 [genitalia].
- foveicollis* Murr. *l. c.* 344 & 394—Grouv.
(1892) A. M. G. XXXII, 838—(1897),
XXXVIII, 351—(1908), C. R. I. 330—
Lefroy (1909), Ind. Ins. Life-297
[biol.]—Steb. (1914), I. F. I. 109
[biol.].
- picinus* Boh. (*Brachypterus*) (1851), Ins.
Caffr. I. 2, 560—Murr. (1864), M. N.
343.
- var. *punctatus* Fleut. (1887), A. S. E. F.
(6), VII, 61—Grouv. [1912 (1913)],
l. c., LXXXXXI, 388.
- lepidus** Murr. (1864), M. N. 399¹ (*Stauro-* East Indies¹
glossicus).
- ligatus** Murr. *l. c.* 363¹ & 396—Grouv. Ceylon¹
(1908), C. R. I. 337². Burma²
Sumatra²
- marginellus** Motsch. (1858), E. E. VII, 40— India¹
Murr. *l. c.* 347¹ & 394, t. 33, f. 1— Ceylon¹
Grouv. (1908), C. R. I. 330² & 336. China¹
Madagaskar²
Southern Asia².

- murrayi** Grouv. (1892), A. M. G. XXXII, Burma¹
837—(1908), C. R. I. 333² & 338. Nilgiris²
- obesus** Murr. (1864), M. N. 361¹ & East Indies¹
396.
- oblongopunctatus** Grouv. (1903), A. S. E. F. Darjiling¹
LXXII, 108¹—(1908), C. R. I.
337.
- obsoletus** Er. (1843), G. Z. 259—Murr. Ceylon¹
(1864), M. N. 368¹ & 396—Grouv. East Indies¹
(1908), C. R. I. 336—Steb. (1914),
I. F. I. 109. Siam¹
- cribellatus** Motsch. (1858), E. E. VII,
41.
- funerus** Reitt. (non Murr.) (1884), N. J.
259—Grouv. [1912 (1913)], LXXXI,
388.
- var. *strigipennis* Motsch. l. c. 41—Murr.
l. c. 368.
- pilosellus** Motsch. l. c. 41—Murr. l. c. 380¹ Ceylon¹
& 397—Grouv. (1908), C. R. I. 333 & East Indies¹
337 (*Myothorax*).
Japan¹
Tongking¹
Celebes¹
- plagiatiipennis** Motsch. (*Colastus*) (1858), Ceylon¹
E. E. VII, 39—Murr. l. c. 400¹, t. 33, Belgaum²
f. 6—Grouv. l. c. 336² & 338 (*Eido-*
colastus).
- dilutus** Motsch. (*Colastus*) l. c. 39—Murr.
l. c. 400—Grouv. [1912 (1913)],
A. S. E. F. LXXXI, 388.
- bosschaei** (*bosschae*) (1892), N. L. M. XIV,
43.
- pubescens** Murr. l. c. 383¹ & 398 (*Endome-* Ceylon¹
rus).
- sericeus** Motsch. (1858), E. E. VII, 41— East Indies¹
Murr. l. c. 368¹ & 396—Grouv. (1908), Kurseong²
C. R. I. 331² & 336.
- signatus** Grouv. (1908), C. R. I. 333¹ & 337. Kurseong¹
var. *ornatus* Grouv. l. c. 334². Sikki m²

- tectus** Murr. (1864), 359¹ & 396—Grouv. *l. c.* Ceylon²
332² & 336. India²
-
- Borneo¹
Singapore¹
Sarawak¹
- undulatus** Grouv. *l. c.* 331¹ & 336. Siwaliks¹
-
- Java¹

8. **Tetrisus** Murr.

Murr. (1864), M. N. 404—Grouv. (1908),
C. R. I. 327 & 338.

- curvipes** Grouv. *l. c.* 338¹. Nilgiris¹
epuraeoides Grouv. (1892), A. M. G. XXXII, Burma¹
839¹.
hydroporoides Murr. (1864), M. N. 405¹, East Indies¹
t. 35, f. 10.

IV. **NITIDULINÆ.**

- Nitidulinæ* Er. (1843), G. Z. IV, 226 &
266.
Nitidulides Lacord, [1854 (1855)], G. C., 290
& 300.
Nitidulites Jac. du Val. (1858), Gen. Col.
d'Eur II, 140 & 157.
Nitidulina Thoms. (1859) S. C. I, 67—(1862),
IV, 162—(1867), IX, 370.
Nitidulini Lec. (1861), C. N. A. 82 & 83—
Ganglb. (1899), K. M. 447 & 462 [key
to genera]—Grouv. (1908), C. R. I.
326 & 339 [key to genera]
Nitidulidæ Murr. (1864), M. N. 230.
Nitiduli Mars. (1885), N. R. 19 & 20.
Nitiduliens Lameere (1900), Fn. Belg. 343 &
345.

9. **Ecnomaeus** Er.

Er. (1843), G. Z. IV, 264—Lacord. [1854
(1855)], G. C. 293 & 299—Murr.
(1864), M. N. 408—Grouv. (1908),
C. R. I. 340 & 342.

haroldi Reitt. (1873), S. E. N. 182¹—Steb. Himalaya¹
(1914) I. F. I. 110². Siwaliks³
waterhousei Grouv. (1908), C. R. I. 342¹, North India¹
t. 6, f. 5—Steb. (1914), I. F. I. 110². Siwaliks²

10. **Trimenus** Murr.

Murr. (1864), M. N. 405—Grouv. (1908),
C. R. I. 340 & 343.

adpressus Murr. *l. c.* 406¹, t. 36, f. 4. East Indies²
angustatus Murr. *l. c.* 407²—Grouv. Ceylon³
(1908), *l. c.* 343³. Nilgiris³

Malay Archipelago¹

parallelopipedus Motsch.

(*Epuræa*) (1863), B. M. I, 438¹—Reitt. Ceylon¹
(1873), S. E. N. 29—Grouv. (1908),
C. R. I. 343¹.

11. **Haptoncus** Murr.

Murr. (1864), M. N. 401—Reitt. (1884), N. J.
258—Grouv. (1908), C. R. I. 340 & 343-
346 [key to species].

Haptoncura Reitt. (1875), V. N. V. B. XIII,
61 & 64, sep. 11 & 14—(1884), N. J.
259.

concolor Murr. (1864), M. N. 402¹—Grouv. Nilgiris²
(1908), C. R. I. 346².

New Guinea¹

epuraeoides Grouv. *l. c.* 344¹ & 346. Ceylon¹

luteolus (*Epuræa*) (1843), G. Z. 272—Ceylon^{3, 4}
Chevr. (*Epuræa*), (1863), A. S. E. F. 4
(III), 602—Reitt. (*Haptoncura*) (1875), Cuba¹

- V. N. V. B. XIII, 62, sep. 12—Grouv. Madagascar²
 (1906), A. S. E. F. LXXV, 75²—
 (1908), C. R. I. 346 [note].
- floreolus* Sharp (1890), B. C. A. II, 1, 305.
- intendens* Walk. (*Nitidula*) (1858),
 A. M. N. H. (3) II, 206³—Olliff (1858),
 P. L. W. X. 70.
- pauperculus* Reitt. (1873), S. E. N. 179.
- pubescens* Murr. (1864), M. N. 403⁴.
- subquadratus* Reitt. (1877), Mittheil.
 Münch. Ent. Ver. I, 22—Blackb.
 (*Haptoncura*) (1891), Trans. R. Soc.
 S. Austr. XIV, 105—Grouv. (1906),
 A. S. E. F. LXXV, 75².
- texanus* Crotch (1874), Trans. Amer.
 Ent. Soc. III 76.
- motschulskyi** Reitt. (1873), S. E. N. 29—
 Grouv. (1908), C. R. I. 344.
- augustulus* Motsch. (*Epuræa*) (1863), Ceylon¹
 B. M. I. 439¹.
- ocularis** Fairm. (*Epuræa*) (1849), Rev. Zool. Ceylon¹
 (2) I, 363, sep. Col. Polynesie, 28—Calcutta¹
 Reitt. (1873), S. E. N. 27—(*Hapton-*Sikkim¹
cura) (1875), V. N. V. B. 62, sep. 12—
 Grouv. (1908), C. R. I. 343¹-345. Japan¹
- bifaciatus* Kraatz. (*Epuræa*) (1895), Tahiti¹
 D. E. Z. 148—Grouv. [1912 (1913)], East Africa¹
 A. S. E. F. LXXXI, 395¹.
- decoratus* Reitt. (*Epuræa*) (1873), Madagascar¹
 S. E. N. 28 & 41—Grouv. (1906),
 A. S. E. F. LXXV, 75¹.
- significans* Wlk. (*Nitidula*) (1858), Ceylon¹
 A. M. N. H. 3 (II), 206¹—Olliff (1885),
 P. L. W. X. 70.
- tetragonus* Murr. (1864), M. N. 401¹, t. 33, Ceylon¹
 f. 7—Reitt. (1884), N. J. 259.
- thiemei* Reitt. (*Epuræa*) (1873), S. E. N. Japan¹
 28 & 41—(1884), N. J. 260¹.
- pulsillus** Grouv. (*Macrourea*) (1894), A. S. Kurseong¹
 E. B. XXXVIII, 585¹—(1907),
 A. M. G. XLIII, 575—(1908), C. R. I.
 344 & 345.

- reflexicollis** Motsch. (*Epuræa*), (1863), Ceylon¹
 B. M. II, 431¹—Reitt. (1873), S. E. N. Nilgiris³
 27²—(1877), D. E. Z. XXI, 189—
 Grouv. (1908), C. R. I. 344³ & 346. Japan²
- testaceus** Murr. (1864), M. N. 403¹—Ceylon²
 Grouv. (1908), C. R. I. 346².
- vulpecula* Redt. (1867), R. N. 34—Macassar¹
 Reitt. (1873), S. E. N. 27.

12. *Propetus* Reitt.

- Reitt. (1875), V. N. V. B. XIII, 62 & 64, sep.
 12 & 14—Grouv. (1908), C. R. I. 340
 & 345.

- nigripennis** Redtb. (*Epuræa*) (1867), R. N.
 34¹—Reitt. (1873), V. N. V. B. XIII
 63, sep. 13. Ceylon¹

13. *Amystrops* Grouv.

- Grouv. (1906), A. M. G. XLII, 312.

- montana** Grouv. (1913), R. I. M. VIII, 2, Assam¹
 103¹.

14. *Omosita* Er.

- Er. (1843), G. Z. IV, 298—Lacord. [1854
 (1855)], G. C. 301 & 309—Ganglb.
 (1899), K. M. 464 & 488—Grouv.
 (1908), C. R. I. 341 & 361—Verhoeff.
 (1923), A. N. 13, 78-80, pl. I, figs. 1-3
 & 15.

- ornata** Grouv. (1903), A. S. E. F. LXXII, Darjiling¹
 112¹.

15. *Epuræa* Er.

- Er. (1843), G. Z. IV, 267—Lacord. [1854
 (1855)], G. C. 301 & 302—Ganglb.

(1899), K. M. 464 & 470—Grouv.
 (1908), C. R. I. 340 & 346-352 [key to
 species].

- BIOLOGY: Perris (1862), A. S. E. F. 2 (IV),
 184-189, pl. 5—Bagnall (1906),
 E. M. M. 42—(1906), Trans. Nat.
 Hist. Soc. Northumberland, 1, 416-
 420—Scott (1920), T. E. S. L. 99-127,
 figs. 1-8—Verhoeff (1923), A. N. 13,
 72-78, pl. II, figs. 16-18 & 20-21; pl.
 VII, figs. 87-91.
- Subgen. *Dadopora* Thoms. (1859), S. C.
 I, 68—(1862), IV, 168—(1867), IX,
 378—Reitt. (1911), F. G. K. 29 & 30—
 Ganglb. (1899), K. M. 473.
- Subgen. *Epuræanella* Crotch (1874),
 Trans. Amer. Ent. Soc. V, 76.
- Omosiphora* Reitt. (1875), V. N. V. B.
 XIII 56 & 63, sep. 6 & 13.
- Subgen. *Micrurula* Reitt. (1884),
 W. E. Z. III, 209—Ganglb. (1899),
 K. M. 472.
- Micruria* Reitt. (1874), V. N. V. B.
 XIII, 56 & 64, sep. 8 & 14.
- andrewesi** Grouv. (1908), C. R. I. 350¹ & Nilgiris¹
 352.
- apicalis** Grouv. (1903), A. S. E. F. LXXII, Sikkim¹
 110¹—(1908), C. R. I. 352.
- arcuata** Grouv. (1908) l. c. 350 & 352, t. 6, Nilgiris¹
 f. 6.
- birmanica** Grouv. (1892), A. M. G. XXXII, Burma¹
 840¹.
- braeti** Grouv. (1894), A. S. E. B. XXXVIII, Kurseong¹
 578¹—(1908), C. R. I. 355 (*Micrurula*).
- brunnea** Wiedem. (1823), Z. M. II, 72¹— India¹
 Grouv. (1908), C. R. I. 352 [note].
- cerina** Grouv. (1894), A. S. E. B. XXXVIII, Kurseong¹
 579¹—(1908), l. c. 355 (*Micrurula*).
- consobrina** Grouv. (1892), A. M. G. XXXII, Burma¹
 840¹.

- convexa** Grouv. (1908), C. R. I. 354¹ & 355 Darjiling¹
(*Micrurula*).
- cribrata** Grouv. (1903), A. S. E. F. LXXII, Darjiling¹
111¹—(1908), *l. c.* 351.
- dubitabilis** Grouv. (*Haptoncura*) (1890), Tenasserim¹
A. M. G. XXIX 121¹.
- emarginata** Grouv. (1906), *l. c.* XLII, 316¹. Burma¹
- exculta** Grouv. [1912 (1913)], A. S. E. F. Darjeeling¹
LXXXI, 394.
ornata Grouv. (non Reitt.) (1903), *l. c.*
LXXII, 109¹—(1908), C. R. I. 352.
- fossicollis** Grouv. *l. c.* 347¹ & 351. Assam¹
- indica** Grouv. (1894), A. S. E. B. XXXVIII, Belgaum¹
459¹—(1908), *l. c.* 346 & 351, t. 6, f. 9.
- insolita** Grouv. *l. c.* 353¹ & 355 (*Micrurula*). Khasis¹
- latissima** Reitt. (1880), N. L. M. II, 42¹— Sumatra¹
Grouv. *l. c.* 351². Ceylon²
- omissa** Grouv. *l. c.* 349 & 352¹. Assam¹
- persimilis** Grouv. (1913), B. S. E. F. IV, Assam¹
253.
affinis Grouv. (non Steph.) (1908)
C. R. I. 352¹ & 355 (*Micrurula*).
- propinqua** Grouv. (1906), A. M. G. XLII, Burma¹
365¹.
- pumila** Grouv. (1897), *l. c.* XXXVIII, 359¹— India¹
(1908), C. R. I. 351.
- reticulata** Grouv. (1892), A. M. G. XXXII, Burma¹
841¹.
- submaculata** Wlk. (*Nitidula*) (1859), Ceylon¹
A. M. N. H. (3) III, 52¹—Olliff (1885),
P. L. W. 70—Grouv. (1908), C. R. I.
352.
- subochracea** Grouv. (1903), A. S. E. F. Darjiling¹
LXXII, 111¹—(1908), C. R. I. 352.
- subtilis** Grouv. (1894), A. S. E. B. XXXVIII, Kurseong¹
579¹—(1908), C. R. I. 355 (*Micrurula*).
- waterhousei** Grouv. *l. c.* 348¹ & 352. N.-W. Himalayas¹

16. *Stelidota* Er.

- Er. (1843, G. Z. 300—Lacord [1854 (1855)],
G. C. 301 & 310—Ganglb. (1899),

K. M. 463 & 466—Grouv. (1908),
C. R. I. 339 & 361.

- multiguttata** Reitt. (1877), D. E. Z. XXI, Japan¹
110¹—(1884), N. J. 262¹—Grouv. ———
(1908), C. R. I. 361². Ceylon²
nigrovaria Fairm. Nilgiris²
(*Omosita*) (1849), Rev. Mag. Zool. (2) I, Tahiti¹
364, sep. Col. Polynésie, 28. ———
multiguttata Grouv. (non Reitt.) (1892), Bengal¹
A. S. E. B. XXXVI, 60¹—(1894),
C. R. I. 361.

17. *Ipidia* Er.

Er. (1843), G. Z. IV, 289—Lacord. [1854
(1855)], G. C. 301 & 304—Ganglb.
(1899), K. M. 463 & 465.

- sibirica** Reitt. (*Stelidota*) (1879), D. E. Z. Japan
XXIII, 216—(1884), N. J. 262—Mars. Siberia
(*Stelidota*) (1885), N. R. 77. ———
Burma.

18. *Prometopia* Er.

- Er. (1843), G. Z. IV, 279—Lacord. [1854
(1855)], G. C. 301 & 306—Murr.
(1867), A. M. N. H. (3) XIX, 168,
sep. Col. Old. Cal. 85—Grouv. (1908),
C. R. I. 340 & 358-359 [key to species].
catilina Olliff (1883), T. E. S. L. 177¹— Borneo¹
Grouv. (1897), A. M. G. XXXVIII, ———
366—(1908), C. R. I. 358² & 359 [note]. Kandhesh²
gracilis Grouv. (1908), C. R. I. 358¹ & 359, Nilgiris¹
t. 6, f. 11.
quadrimaculata Motsch (1863), B. M. East India¹
XXXVI, I, 440¹—Grouv. (1897), Ceylon¹
A. M. G. XXXVIII, 366—(1908), Sikkim²
C. R. I. 358² & 359—Arrow (1900), ———
Monogr. Christm. Isl. 92³. Cochin-China³

setosula Grouv. (1894), A. S. E. B. Barway, Bengal¹
XXXVIII, 580¹—(1908), C. R. I. 359.

19. *Parametopia* Reitt.

Reitt. (1884), N. J. 259 & 262—(1885), 17—
Grouv. (1908), C. R. I. 340 & 359-361
[key to species].

concolor Grouv. (1891), C. R. Soc. Ent. Kunbir, Bengal¹
Belg. XXXV, CCXXXVII¹—(1908),
C. R. I. 361.

indica Grouv. (1894), A. S. E. B. XXXVIII, Kurseong¹
581¹—(1908), C. R. I. 361.

tripunctata Grouv. (1908), C. R. I. 360¹. Nilgiris¹
var. *trinotata* Grouv. l. c. 360¹ & 361, Mahé¹
t. 6, f. 12.

20. *Axyra* Er.

Er. (1843), G. Z. IV, 285—Lacord. [1854
(1855)], G. C. 301 & 305—Murr.
(1867), A. M. N. H. (3) XIX, 169, sep.
Col. Old. Cal. 87—Grouv. (1908),
C. R. I. 341 & 356.

Galaor Thoms. (1858), Arch. Ent. II, 43.

Subgen. *Axyrodes* Murr. (1867), A. M. N. H.
(3) XIX, 170, sep. Col. Old. Cal. 88.

feai (*feæ*) Grouv. (1890), A. M. G. XXIX, Burma¹
122¹—(1908), C. R. I. 356 [note].

perplexa Reitt. (1873), S. E. N. 53¹—Grouv. East India¹
(1908), C. R. I. 356-357 [add. descr.].

21. *Megauchenia* M'Leay.

M'Leay (1825), A. J. 45, ed. Lequien (1833),
155—Arrow (1909), A. M. N. H. (8) IV,
191—Heller (1923), E. B. 19, 1-43
[key to species].

- Ischæna* Er. (1843), G. Z. IV, 287—Lacord.
 [1854 (1855)], G. C. 301 & 306—Reitt.
 (1873), S. E. N. 10 & 53—Grouv.
 (1908), C. R. I. 340 & 357-358 [key to
 species].
- angustata** Er. (*Ischæna*) (1843), G. Z. 288¹ East Indies¹
 Grouv. (1890), A. M. G. XXIX, 124— Pegu²
 (1908), C. R. I. 358² (*Ischæna*). Burma³
 var. *peninsularis* Grouv. (1890), A. M. G. Tenasserim⁴
 XXIX, 123 & 124³—Heller (1923),
 E. B. 19, 1, 41⁴ (*angustata*). Malay Archipelago²
 Malacca¹
 Tongking²
- feai** Grouv. (*feæ*) emend. (*Ischæna*) (1892), Burma¹
 A.M.G. XXXII, 842¹—Heller (1923),
 E. B. 19, 1, 42.
- indica** Grouv. (*Ischæna*) (1908), C. R. I. 357¹ Nilgiris¹
 t. 6, f. 5—Heller (1923), E. B. 19, 1, 42.
- interstitialis** Reitt. (*Ischæna*) (1880), India¹
 A. M. G. XV, 456—Grouv. (*Ischæna*)
 (1890), A. M. G. XXIX, 123¹—Heller New Guinea²
 (1923), E. B. 19, 1, 41².

22. *Soronia* Er.

- Er. (1843), G. Z. IV, 277—Lacord. [1854
 (1855)], G. C. 301 & 304—Ganglb.
 (1899), K. M. 464 & 468—Grouv.
 (1908), C. R. I. 340 & 356 [key to
 species]—Verhoeff (1923), A. N. 13.
 88-91, pl. II, figs. 25-26.
- bræti** Grouv. (1894), A. S. E. B. XXXVIII, Kurseong¹
 580¹—(1908), C. R. I. 356.
- imperialis** Grouv. (1903), A. S. E. F. LXXII, Darjiling¹
 113¹—(1908), C. R. I. 356.
- minima** Grouv. (1903), A. S. E. F. LXXII, Darjiling¹
 113¹—(1908), C. R. I. 356.

23. *Atarphia* Reitt.

Reitt. (1884), N. J. 260 & 263—(1885), *l. c.*
39.

Pseudoplatychora Grouv. (1890), N. L. M.
XII, 15 & 31.

convexiuscula Grouv. (*Pseudoplatychora*) East Indies¹
l. c. 15¹ & 31.

24. *Physoronia* Reitt.

Reitt. (1884), N. J. 260 & 263—(1885), 18.

reitteri Grouv. (1892), A. M. G. XXXII, Burma¹
843¹ (*Physorhina*).

25. *Amphicrossus* Er.

Er. (1843), G. Z. IV, 346—Lacord. [1854
(1855)], G. C. 319 & 323—Grouv. (1908),
C. R. I. 341 & 381-384 [key to species].

Lobostoma Fairm. (1892), Rev. d'Ent. XI 90—
Grouv. (1908), B. S. E. F. 109.

Rhacostoma Berg. (1898), Com. Mus. Buenos
Aires I, 18.

densatus Grouv. (1908), C. R. I. 383¹ & 384. Assam¹

discolor Er. (1843), G. Z. IV, 348—Reitt. Bengal¹
(1873), S. E. N. 99—Grouv. (1908), Burma¹
C. R. I. 381¹ & 384.

Annam¹

East Indies¹

muticus Grouv. (1908), C. R. I. 381¹ & 384. Nilgiris¹

oblongus Grouv. (1897), A. M. G. XXXVIII, Sumatra¹
368—(1908), C. R. I. 381¹ & 384.

Pegu¹

Travancore¹

agopus Grouv. (1892), A. S. E. B. XXXVI,
60—(1908), C. R. I. 381¹ & 384.

Bengal¹

Calcutta.¹

Pegu¹

- pilosus** Grouv. (1908), C. R. I. 382¹ & 384. Ceylon¹
plagiatus Grouv. (1890), A. M. G. XXIX, Burma¹
 125¹.

26. *Aethina* Er.

- Er. (1843), G. Z. IV, 306—Lacord. [1854
 (1855)], 301 & 302—Murr. (1857),
 A. M. N. H. (3), XIX, 176—(1868)
 sep. Ins. Old. Cal. 94—Grouv. (1908)
 C. R. I. 341 & 380 [key to species].
 Subgen. *Aethinopa* Reitt. (1875), V. N. V. B.
 XIII, 109, sep. 13.

- argus** Grouv. (1890), A. M. G. XXIX, 125¹. Burma¹
elongata Reitt. (1875), V. N. V. B. XIII, East Indies¹
 109¹, sep. 13.
nigrocastanea Grouv. (1903), A. S. E. F. Darjiling¹
 LXXII, 115¹—(1908), C. R. I. 380.
obscura Reitt. (1873), S. E. N. 86¹—Grouv. Himalayas¹
 (1908), C. R. I. 380.
puncticollis Grouv. (1897), A. M. G. Tenasserim¹
 XXXVIII, 366¹.
vicina Grouv. (1894), A. S. E. B. XXXVIII, Kurseong¹
 585¹—(1908), C. R. I. 380.

27. *Aethinopsis* Grouv.

- Grouv. (1908), C. R. I. 341 & 379.

- antennata** Grouv. (1908), C. R. I., 379¹. Sikkim¹

28. *Macroura* Reitt.

- Reitt. (1873), S. E. N. 56 & 80—Grouv.
 (1907), A. M. G. XLIII, 552—(1908),
 C. R. I. 341 & 377-378 [key to species].
Idaethina Olliff (1884), N. L. M. VI. 73—
 Grouv. (1908), A. M. G. XLIV, 78.

- cyaneipennis** Grouv. (*Aethina*) (1903), Darjiling¹
 A. S. E. F. 116—(1907), A. M. G. Sikkim¹

- XLIII, 572¹ & 574—(1908), C. R. I.
378¹.
- densita** Reitt. (1875), V. N. V. B. 110¹, sep. Ceylon¹
14—Grouv. (1908), C. R. I. 378¹.
- longipennis** Motsch. (*Carpophilus*) (1858), Ceylon¹
E. E. VII, 40¹—Grouv. (1907),
A. M. G. XLIII, 564 & 574.
- meligethoides** Reitt. (1873), S. E. N. 82¹—Himalayas¹
Grouv. (1907), A. M. G. XLIII, 574—
(1908), C. R. I. 378¹. Australia¹
- nigritula** Reitt. (1873), S. E. N. 82—Grouv. India¹
(1907), A. M. G. XLIII, 575—(1908),
C. R. I. 378¹.
Malacca¹
Sumatra¹
- dubia* Grouv. (1894), A. S. E. B. Java¹
XXXVIII, 461—(1907), A. M. G.
XLIII, 575.
- orientalis** Nietner (*Meligethes*) (1856), Ent.
Papers (*Colombo*), II, 11—(1857),
A. M. N. H. (2), XIX, 384—Grouv.
(1907), A. M. G. XLIII, 574—(1908),
C. R. I. 378.
- nigritula* Olliff (*Idæthina*) (non Reitt.),
(1885), P. L. W. X. 70.
- respondens* Wlk. (*Meligethes*) (1859), Ceylon¹
A. M. N. H. (3) III, 53¹, Grouv. (1907),
Bombay¹
A. M. G. XLIII, 562¹.
- subrugosa** Grouv. (1894), A. S. E. B. Belgaum¹
XXXVIII, 461¹—(1907), A. M. G.
XLIII, 575—(1908), C. R. I. 378.

29. **Pocadius** Er.

- Er. (1843), G. Z. IV, 318—Lacord. [1854
(1855)], 301 & 317—Ganglb. (1899),
K. M. 464 & 540—Grouv. (1908),
C. R. I. 341 & 380.

- harmandi** Grouv. (1903), A. S. E. F. LXXII, Darjiling¹
114¹.

testaceus Grouv. (1892), A. S. E. B. XXXVI, Bengal¹
60¹.

yunnanensis Grouv. (1910), N. L. M. Yunnan¹
XXXII, 251¹.

30. *Pocadites* Reitt.

Reitt. (1884), N. J. 264 & 267—(1885), 44—
Grouv. (1908), C. R. I. 341 & 380.

dubitabilis Grouv. (1892), A. M. G. XXXII, Burma¹
843¹.

insularis Grouv. (1908), C. R. I. 380¹. Andamans.¹

31. *Cyllodes* Er.

Er. (1843), G. Z. IV, 342—Lacord. [1854
(1855)], G. C. 319 & 320—Ganglb.
(1899), K. M. 464 & 543—Grouv.
(1908), C. R. I. 341 & 385-391 [key
to species].

Pseudocamptodes Grouv. (1896), A. S. E. F.
LXV, 76.

Strongylus Herbst. (1792), Käf. IV, 179
(pars)—Steph. (1830), I. B. E. III, 30
& 42 (pars)—Reitt. (1878), S. E. N.
98 & 128—Sharp. (1891), B. C. A.
355.

Volvoxis Kugel (1794), Schneid. Mag. I, 5,
355 (pars).

ænescens Grouv.⁷ (1892), A. M. G. XXXII, Burma¹
847¹ & 848.

andamanensis Grouv. (1908), C. R. I., 387¹ Andamans¹
& 390.

angustipes Grouv. *l. c.* 385-386¹ & 390. Sikkim¹

bifascies Wlk. (*Tritoma*) (1859), A. M. N. H.
(3) III, 259¹—Olliff (*Camptodes*)
(1885), P. L. W. X, 71—Grouv. (1908),
C. R. I. 385¹.

- opponens* Wlk. (*Chilocorus*) (1859),
A. M. N. H. (3) IV, 219—Harold.
(*Camptodes*) (1875), Col. Hefte XIV,
211.
- ornatus* Motsch. (*Camptodes*) (1863), Ceylon¹
B. M. II, 442—Reitt. (1884), N. J. ———
268—Grouv. (1908), C. R. I. 391. East Indies
Cochin China
- notatus* Reitt. (*Strongylus*) (1873), 129—
(1885), W. E. Z. IV, 174. Japan
- dubitabilis** Grouv. (1913), Col. Cat. Junk,
pars. 56, 163.
- dubius* Grouv. (non. Reitt.), (1892), Burma¹
A. M. G. XXXII, 846¹ & 849.
- humeralis** Grouv. l. c. 847¹ & 849. Burma¹
- indicus** Grouv. (1894), A. S. E. B. XXXVIII, Bengal¹
462—(1908), C. R. I. 385¹ & 391. Kanara¹
- montanus* = Grouv. (*Pseudocamptodes*) Nilgiris¹
(1903), A. S. E. F. LXXII, 126— Kashmir¹
(1908), C. R. I. 385¹.
- insularis** Grouv. (1908), l. c. 388¹ & 391, Andamans¹
t. 7, f. 9.
- limbatus** Grouv. (1892), A. M. G. XXXII, Burma¹
847¹ & 849.
- marginatus** Grouv. (1908), C. R. I. 386¹ & Cachar¹
391. Assam.
- nigropunctatus** Grouv. (1892), A. M. G. Burma¹
XXXII, 846¹ & 849.
- quadrinotatus** Grouv. (1908), C. R. I. Andamans¹
388¹ & 391.
- quadrinotatus** Grouv. (1892), A. M. G. Burma¹
XXXII, 845¹ & 849.
- sexpunctatus** Grouv. (1908), C. R. I. 389¹ & Nilgiris¹,
391.
- undulatus** Grouv. (1892), A. M. G. Burma¹
XXXII, 845¹ & 849.
- variegatus** Grouv. (1892), A. M. G. East Indies¹
XXXVIII, 370¹.

32. *Oxycnemus* Er.

- Er. (1843), G. Z. IV, 351—Lacord. [1854
(1855)], G. C. 319 & 324—Reitt. (1873),

S. E. N. 98 & 113—Sharp (1891),
B. C. A. 362.

Eugoniopus Reitt. (1884), N. J. 264 & 267—
(1885), *l. c.* 76—Sharp (1891), B. C. A.
364.

Psilopyga Lec. (1853), Proc. Acad. Philad.
VI, 286—Lacord. [1854 (1855)], G. C.
301 & 315.

reitteri Grouv. (*Eugoniopus*) (1892), Burma¹
A. M. G. XXXII, 852.¹

33. *Tricanus* Er.

Er. (1843), G. Z. IV, 352—Lacord. [1854
(1855)], G. C. 319 & 325—Reitt.
(1873), S. E. N. 98 & 138—Grouv.
(1908), C. R. I. 341 & 392.

nigripennis Reitt. (1873), S. E. N. 139¹— Ceylon¹
Grouv. (1892), A. M. G. XXXII, 854—
(1908), C. R. I. 392¹.

punctatissimus Grouv. (1892), A. M. G. Pegu¹
XXXII, 853¹—(1908), C. R. I. 392². Burma¹
Andamans²

striatopunctatus Grouv. (1892), A. M. G. Pegu¹
XXXII, 853¹ & 854. Burma¹

34. *Pallodes* Er.

Er. (1843), IV, 348—Lacord. [1854 (1855)],
G. C. 319 & 323—Reitt. (1873), S. E. N.
98 & 132—Sharp (1891), B. C. A. 364.
Neopallodes Reitt. (1884), N. J. 264 & 269—
(1885), 78—Grouv. (1908), C. R. I.
341.

birmanicus Grouv. (1892), A. M. G. XXXII, Burma¹
851¹.

cardoni Grouv. (1894), A. S. E. B. XXXVIII, Bengal¹
585—(*Neopallodes*) (1908), C. R. I.
392¹.

- dentatus** Grouv. (*Neopallodes*) (1892), Burma¹
A. M. G. XXXII, 849¹.
- falsus** Grouv. [1912 (1913)], A. S. E. F. Darjiling¹
LXXX, [1912 (1913)], 398¹.
- harmandi* Grouv. (non. Grouv. 1902),
(1903), A. S. E. F. LXXII, 117.—
(1908), C. R. I. 392.
- feai** (*feæ* emend.) Grouv. (1892), A. M. G. Burma¹
XXXII, 851¹.
- vicinus** Grouv. (*Neopallodes*), (1892), A.M.G. Burma¹
XXXII, 850¹.

35. *Lasiodactylus* Perty.

- Perty (1830-1834), D. A. A. 34—Lacord.
[1854 (1855)], 301 & 317—Grouv.
(1908), C. R. I. 341 & 361-365 [key
to species].
- BIOLOGY: Ghosh (1921), R. P. E. M. 108
(*Lordites*).
- Lordites* Er. (1843), G. Z. IV, 316—Lacord.
[1854 (1855)], 301 & 316—Murr.
(1867), A. M. N. H. (3) XIX, 175, sep.
Col. Old. Cal. (1878), 93.

- æthinodes** Reitt. (1873), S. E. N. 91¹— India¹
Grouv. (1908), C. R. I. 364.
- chevrolati** Reitt. (1873), S. E. N. 90¹— South Africa¹
Grouv. (1908), C. R. I. 364²—De
Peyerimhoff (1916), R. I. M. XII, 3, Bengal²
109-113³, 3 figs. [descr. larva & biol.]. Coromandel³
- monticola** Grouv. (1910), N. L. M. XXXII, Yunnan¹
250¹.
- pictus** M'Leay (*Nitidula*) (1825), A. J. 40— Malay Archipelago.
Lequien (1833), A. J. 147—Arrow
(1909), A. M. N. H. 8 (IV), 191. East Indies
- costulatus* Fairm. (*Lordites*) (1868), A. S. Bourbon Isd.
E. F. 4 (VIII), 775—Reitt. (1873), 88 Madagascar
—Grouv. (1908), C. R. I. 365.
- glabricola* Candèze (*Lordites*) (1861), Mém. Ceylon
Liège XVI, 340—Reitt. (1873), S.E.N. Bengal

- 88—(1884), N. J. 266—Grouv. (1908), Nilgiris
C. R. I. 361 & 365. Andamans
Pegu
- testudinarius* Reitt. (1873), S. E. N. 87— Madagascar
Grouv. (1895), B. S. E. F. CCLVII—
(1908), C. R. I. 365.
- pubescens** Grouv. (1908), C. R. I. 362¹ & Murree Hills¹
364 (*Lordites*).
- quadrinotatus** Grouv. (*Lordites*) (1908), East Indies¹
A. S. E. F. LXVIII, 143¹.
- reitteri** Grouv. (1908), C. R. I. 363 & 364¹. Bengal¹
Ceylon¹

36. *Circopes* Reitt.

Reitt. (1873), S. E. N. 56 & 79—Grouv.
(1908), C. R. I. 340 & 365 [key to
species].

- indicus** Motsch. (*Pocadius*) (1858), E. E. Kurseong¹
VII, 43—Reitt. (1873), S. E. N. 79— Nilgiris¹
Grouv. (1908), C. R. I. 365¹.
- marginatus** Grouv. (1894), A. S. E. B. Kurseong¹
XXXVIII, 584¹—Grouv. (1908),
C. R. I. 365.
- subquadratus** Motsch. (*Pocadius*) (1858), Ceylon¹
E. E. VII, 43—Reitt. (1873), S. E. N. Nilgiris¹
79—Grouv. (1908), C. R. I. 365¹.

37. *Xenostrogylus* Woll.

Woll. (1854), I. M. 127—Ganglb. (1899),
K. M. 464 & 536—Grouv. (1908),
C. R. I. 341 & 378.

Subg. *Strongylolasius* Reitt. (1911),
F. G. K. 26 [note].

Subg. *Oxystrongylus* Reitt. *l. c.* [note].

- dorsalis** Grouv. (1908), C. R. I. 378¹. North Kanara¹

38. *Cametis* Motsch.

- Motsch. (1863), B. M. XXXVI, I, 2, 440—
Grouv. (1908), C. R. I. 384.

picea Motsch. *l. c.* 441¹—Grouv. *l. c.* 384¹. Ceylon¹

V. CRYPTARCHINÆ.

- Ipinae* Er. (1843), G. Z. IV, 355 (—*Rhizophagus*).
Ipides Lacord. [1854 (1855)], G. C. 291 & 326.
Ipites Jacq. du Val (1858), Gen. Col. d'Eur, 153 & 157.
Ipina Thoms. (1859), S. C. I, 66 & 69 (—*Cylloides*, + *Cryptarchina*).
Ipideas Philippi. (1864), An. Univ. Chile, 454.
Ipini Lec. (1861), C. N. A. 82 & 84.
Ipidae Reitt. (1873), S. E. N. 7 & 139 (—*Ipsomorpha*).
Ipsi Mars. (1885) N. R. 20.
Ipsinae Sharp (1891), B. C. A. 873.
Pityophagini Fauc. (1894), Gen. Col. 27.
Ipiens Lameere (1900), Fn. Belg. II, 342 & 354.
Cryptarchini Reitt. (1884), N. J. 257 & 269—
 Ganglb. (1899), K. M. 447 & 548 [key to genera]—Grouv. (1908), C. R. I. 326 & 395—Reitt. (1911), F. G. K. 11 & 36 [key to genera].

39. *Cryptarcha* Shuck.

- Shuck (1839), E. B. E. 165—Lacord. [1854 (1855)], G. C. 326—Ganglb. (1899), K. M. 549—Grouv. (1908), C. R. I. 395-397 [key to species]—Reitt. (1911) F. G. K. 37.
Cryptarchus Heer (1841), F. H. I. 409.
 Subg. *Arhina* Murr. (1867), A. M. N. H. (3) XIX, 178—Col. Old. Cal. (1868), 96.

- Subg. *Cryptarchula* Ganglb. (1899), K. M. 550.
- andrewesi** Grouv. (1908), C. R. I. 396¹ & 397. Nilgiris¹
- bicolor** Grouv. (1892), A. M. G. XXXII, 854 & 856¹. Burma¹
- dubia** Grouv. (1890), A. M. G. XXIX, 126— (1892), l. c. XXXII, 856¹. Burma¹
- feai** (*feæ* emend.) Grouv. (1892), A. M. G. XXXII, 855 & 856¹—Grouv. (1908), C. R. I. 397¹. Bengal¹
Pegu¹
- flavipennis** Reitt. (1873), S. E. N. 120¹, East Indies¹
sep. 24—Grouv. (1908), C. R. I. 397². Sikkim²
- flavoguttata** Reitt. (1875), V. N. V. B. East Indies¹
XIII, 120¹, sep. 24.
- fraterna** Grouv. (1908), C. R. I. 395¹ & 397. Mahé¹
- lesnei** Grouv. (1903), A. S. E. F. LXXII, Darjiling¹
118¹—(1908), C. R. I. 397.
- nigropunctata** Grouv. (1892), A. M. G. Burma¹
XXXII, 854¹ & 856.
- octopunctata** Grouv. (1897), A. M. G. Burma¹
XXXVIII, 371¹.
- ocularis** Reitt. (1875), V. N. V. B. XIII, East Indies¹
121, sep. 25—Grouv. (1892), A. M. G.
XXXII, 855¹ & 856.
- rajah** Motsch. (1863), B. M. XXXVI, II, Ceylon¹
443¹—Grouv. (1908), C. R. I. 397
[note].
- ritsemai** Olliff (1884), N. L. M. VI, 246¹. East Indies¹
- rufomaculata** Grouv. (1897), A. M. G. Tenasserim¹
XXXVIII, 373¹.

40. *Glischrochilus* Reitt.

Reitt. (subg. *Ips*) (1873), S. E. N. 162—
Ganglb. (1899), K. M. 549 & 551.

BIOLOGY: Munro, 1917, Proc. R. Physical
Soc., Edinburgh, XX, 3, 123-158, 5
pl. 28 figs.—Ritchie (1917), Trans.

R. Soc. Edinburgh, LII, part 1, No. 10,
213-234, plates—Blackman (1919),
Psyche, XXVI, 4, 85-96, 1 plate, 1 fig.
—Verhoeff (1923), A. N. 12, 80-88, pl.
I, figs. 4-6, 13 & 14, pl. II, figs. 22-24;
pl. VII, fig. 92.

Ips F. (1776), Gen. Ins. 23—Lacord. [1854
(1855)], G. C. 226 & 327 (pars).

Librodor Reitt. (1884), N. J. 269 & 270.

Subg. *Cryptarchips* Reitt. (1911), F. G. K.
37.

Subg. *Librodor* Ganglb. (1899), K. M. 553—
Reitt. (1911), F. G. K. 37 & 38.

egregius Grouv. (*Librodor*) (1892), A. M. G. Burma¹
XXXII, 856¹.

japonius Motsch. (*Ips*) (1857), E. E. VI, 28— Burma¹
Grouv. (1892), A. M. G. XXXII,
856¹ (*Librodor*).

chinensis Reitt. (*Ips*) (1873), S. E. N.
160—(1879), Verh. Zool-bot. Ges.
Wien. XXIX, 508.

davidis (*Ips*) Fairm. (1878), A. S. E. F. (5)—
VIII, 93—Reitt. *l. c.* 508. Japan

nankineus Fairm. *l. c.* 93—Reitt. *l. c.* China
508.

VI. CYBOCEPHALINÆ.

Cybocephalites Jac. du Val. (1858), Gen. Col.
d'Eur. II, 151 & 157.

Cybocephalini Horn (1879), Nitid. U. State,
268 & 319—Ganglb. (1899), K. M.
447 & 545—Grouv. (1908), C. R. I.
326 & 392.

Cybocephalinæ Sharp (1891), B. C. A. 372—
Reitter (1911), F. G. K. 10.

41. *Cybocephalus* Er.

Er. (1844), G. Z. V. 441—Lacord. [1854
(1855)], G. C. 319 & 322—Ganglb.
(1899), K. M. 546—Grouv. (1908),
C. R. I. 392-395 [key to species].

BIOLOGY: Rutherford (1914), Trop. Agric. XLIII, 4, 319-323—Malenotti (1917), Redia, XIII, 1, 17-53, 2 pl.—Herbert (1920), U. S. Dept. Agric. Bull. 838, 22, 6 pl. 5 figs.

Acribis Waterh. (1877), Proc. Zool. Soc. Lond. 78—Champ. (1913), T. E. S. L. 71.

Phantazomerus Jac. du Val. (1854), B. S. E. F. 307.

Stagnomorpha Woll. (1854), I. M. 482.

æneonitens Champ. (1923), E. M. M. West Almora¹
LIX, 77-78¹.

binotatus Grouv. (1908), C. R. I. 394¹ & Assam¹
395—Champ. (1923), E. M. M. LIX, West Almora²
78² [addl. descr.].

chlorocephalus Er. (1844), G. Z. V. 442— India¹
Motsch. (1863), B. M. XXXVI, II, Ceylon¹
479—Reitt. (1874), V. N. V. B. XII, Nilgiris¹
6—Grouv. (1908), C. R. I. 395¹— Haldwani²
Champ. (1923), E. M. M. LIX, 77²— West Almora²
[addl. descr.].

—————
Singapore²

flavipes Motsch. (1863), B. M. XXXVI, II, India¹
478¹—Reitt. (1874), V. N. V. B. XII, Ceylon¹
7—Grouv. (1908), C. R. I. 392¹ & 395.

major Motsch. (1863), B. M. XXXVI, II, Ceylon¹
478¹—Reitt. (1874), V. N. V. B. XII, Bombay¹
12—Grouv. (1908), C. R. I. 395¹.

nigripennis Motsch. (1863), B. M. XXXVI, Ceylon¹
II, 479¹—Reitt. (1874), V. N. V. B. 12.

puncticeps Grouv. (1908), C. R. I. 393¹ & Kanara¹
395. Nilgiris¹

smaragdicolis Motsch. (1866), B. M. Ceylon.
XXXIX, I, 398—Reitt. (1874),
V. N. V. B. XII, 6—Grouv. (1908),
A. S. E. F. LXXXVII, 395.

splendens Grouv. (1908), A. S. E. F. Nilgiris¹
LXXXVII, 392¹ & 394.

- subquadratus** Motsch. (1863), B. M. XXXVI,
 II, 479¹—Reitt. (1874) V. N. V. B. Ceylon¹
 XII, 7¹. India¹
subrotundatus Motsch. *l. c.*—479¹. India¹

Total 228 species.

ADDENDA.

Pseudomystrops Grouv.

- Grouv. [1912 (1913)], A. S. E. F. LXXXI, 389
Concolor Grouv. [1912 (1913),] A. S. E. F. 390¹ Tenasserim¹
humeralis Grouv. (1890), A. M. G.
 XXIX, 124¹ [1912 (1913)], Burma¹
 A. S. E. F. 389

230 species.

INDEX TO GENERA.

(NOTE.—The numbers refer to the numbers of the genera and not of the pages.)

Acanthogethes (Meligethes)
Acribis (Cybocephalus)
 Aethina, 26
Aethinopa (Aethina)
 Aethinopsis, 27
Amartus (Heterhelus)
 Amphicrossus, 25
 Amystrops, 13
Arhina (Cryptarcha)
 Atarphia, 23
 Axyra, 20
Axyrodes (Axyra)

Brachypeplus, 4

Cametis, 38
 Carpophilus, 7
Cateretes (Heterhelus)
Cercus (Heterhelus)
 Cillaenus, 5
 Circopes, 36
Cormyphora (Pria)
 Cryptarcha, 39
Cryptarchips (Glischrochilus)
Cryptarchula (Cryptarcha)
Cryptarchus (Cryptarcha)
 Cybocephalus, 41
 Cyllodes, 31

Dadopora (Eपुरaea)

Ecnomaeus, 9
Ecnomorphus (Carpophilus)
Eidocolastus (Carpophilus)
Endomerus (Carpophilus)
 Epuraea, 15
Epuraeanella (Eपुरaea)
Eugoniopus (Oxycnemus)

Galaor (Axyra)
 Glischrochilus, 40

Haptoncura (Haptencus)
 Haptencus, 11
 Heterhelus, 1
Heterodontus (Carpophilus)

Idaethina (Macroura)
Idocolastus (Carpophilus)
 Ipidia, 17
Ips (Glischrochilus)
Ischaena (Megauchenia)

Laria (Pria)
 Lasiodactylus, 35
Leiopheplus (Brachypeplus)
Librodor (Glischrochilus)
Liparopheplus (Brachypeplus)
Lobostema (Amphicrossus)
Lordites (Lasiodactylus)

Macroura, 28
Megauchenia, 21
Meligethes, 3
Microxanthus (Carpophilus)
Micruria (Eपुरaea)
Micrurula (Eपुरaea)
Myothorax (Carpophilus)

Neopallodes (Pallodes)
Niidulopsis (Brachypeplus)
Nitops (Carpophilus)

Odontogethes (Meligethes)
Omosiphora (Eपुरaea)
Omosita, 14.
Onicotis (Brachypeplus)
Orthogramma (Platynema)
Oxycnemus, 32
Oxystrongylus (Xenostongylus)

Pallodes, 34
Parametopia 19
Phantazomerus (Cybocephalus)
Physoronia, 24
Platynema, 6
Pocadites, 30
Pocadius, 29
Pria, 2
Prometopia, 18
Propetes, 12
Pseudocamptodes (Cyllodes)
Pseudoplatychora (Atarphia)
Psilopyga (Oxycnemus)

Rhacostoma (Amphicrossus)

Selis (Brachypeplus)
Soronia, 22
Stagnomorpha (Cybocephalus)
Stauroglossicus (Carpophilus)
Stelidota, 16
Strongylolasius (Xenostongylus)
Strongylus (Cyllodes)

Tasmus (Brachypeplus)
Tetrisus, 8
Tribrachys (Carpophilus)
Tricanus, 33
Trimenus, 10

Urophorus (Carpophilus)

Volvoxis (Cyllodes)

Xenostongylus, 37

INDEX TO SPECIES.

(NOTE.—Names *in italics* are treated as synonyms and should be looked up under the names given in roman letters. The generic name noted against each specific name is that of the genus in which it is placed in this Catalogue. The species in each genus are placed in alphabetical order and the position of the genus is shown in the Index to Genera.)

- adpressus, Trimenus
 aeneonitens, Cybocephalus
 aenescens, Cylloides
 aequalis, Brachypeplus
 aethinodes, Lasiodactylus
affinis, Epuraea persimilis
 andamanensis, Cylloides
 andrewesi, Cryptarcha
 andrewesei, Epuraea
 andrewesi, Meligethes
 angustata, Megauchenia
angustatus, Trimenus adpressus
angustulus, Haptoncus motschulskyi
 angustipes, Cylloides
 antennata, Aethinopsis
 apicalis, Epuraea
 apicalis, Pria
 arcuata, Epuraea
 argus, Aethina
 arrowi, Meligethes
auropilosus, Carpophilus dimidiatus
- bicolor, Carpophilus
 bicolor, Cryptarcha
bifasciatus, Haptoncus ocularis
 bifascies, Cylloides
 bifenestratus, Carpophilus
 biguttatus, Carpophilus
biguttatus, Carpophilus dimidiatus
bimaculatus, Carpophilus dimidiatus
bimaculatus, Carpophilus hemipterus
 binotatus, Cybocephalus
 binotatus Meligethes
 birmanica, Epuraea
 birmanicus, Brachypeplus
 birmanicus, Pallodes
bosschii, Carpophilus plagiaticornis
 braeti, Epuraea
 braeti, Meligethes
- braeti, Soronia
 breviceps, Platynema
brevipennis, Carpophilus hemipterus
 brunnea, Epuraea
- cadaverinus*, Carpophilus hemipterus
 cardoni, Meligethes
 cardoni, Pallodes
 castanescens, Meligethes
 catilina, Prometopia
 cerina, Eupraea
 ceylonica, Pria
 chevrolati, Lasiodactylus
chinensis Glischrochilus japonius
 chlorocephalus, Cybocephalus
 concolor, Haptoncus
 concolor, Parametopia
 consobrina, Epuraea
 convexa, Epuraea
 convexiuscula, Atarphia
costulatus, Lasiodactylus pictus
 crassus, Meligethes
cribellatus, Carpophilus obsoletus
 cribrata, Epuraea
 cribratus, Carpophilus
 cribratus, Meligethes
 curvipes, Meligethes
 curvipes, Tetrirus
 cyaneipennis, Macroura
 cylindricus, Carpophilus
- dauidis*, Glischrochilus japonius
decoratus, Haptoncus ocularis
 densatus, Amphicrossus

- densita*, *Macroura*
dentatus, *Pallodes*
diluticollis, *Pria*
dilutus, *Carpophilus plagiaticornis*
dilutus, *Carpophilus dimidiatus*
dimidiatus, *Carpophilus*
dimidiatus, *Carpophilus hemipterus*
discolor, *Amphicrossus*
dorsalis, *Xenostrogylus*
dubia, *Cryptarcha*
dubia, *Macroura nigrigula*
dubitabilis, *Carpophilus*
dubitabilis, *Cyllodes*
dubitabilis, *Epuraea*
dubitabilis, *Pocadites*
dubius, *Cyllodes dubitabilis*
dubreuilii, *Brachypeplus*
- egregius*, *Glischrochilus*
elongata, *Axyra*
emarginata, *Epuraea*
epuraeoides, *Haptoncus*
epuraeoides, *Tetrisus*
erythrogonus, *Carpophilus*
exculta, *Epuraea*
- falsus*, *Pallodes*
familiaris, *Carpophilus*
feai, *Axyra*
feai, *Brachypeplus*
feai, *Carpophilus*
feai, *Cryptarcha*
feai, *Megauchenia*
feai, *Pallodes*
ferrugineus, *Meligethes*
ficus, *Carpophilus hemipterus*
flavipennis, *Cryptarcha*
flavipes, *Carpophilus*
flavipes, *Cybocephalus*
flavoguttata, *Cryptarcha*
flexuosus, *Carpophilus hemipterus*
floreolus, *Haptoncus luteolus*
foedus, *Meligethes*
fossicollis, *Epuraea*
foveicollis, *Carpophilus humeralis*
fraterna, *Cryptarcha*
- fulvipes*, *Carpophilus*
fulvipes, *Carpophilus hebeatus*
fumatus, *Carpophilus dimidiatus*
funereus, *Carpophilus*
funereus, *Carpophilus obsoletus*
fuscus, *Carpophilus fulvipes*
- glabricola*, *Lasiodactylus pictus*
gracilis, *Prometopia*
- harmandi*, *Pocadius*
harmandi, *Pallodes falsus*
haroldi, *Ecnomaeus*
hebetatus, *Carpophilus*
hemipterus, *Carpophilus*
hemipterus, *Carpophilus dimidiatus*
heros, *Carpophilus*
humeralis, *Carpophilus*
humeralis, *Cyllodes*
hydroporoides, *Tetrisus*
- imperialis*, *Soronia*
indica, *Epuraea*
indica, *Megauchenia*
indica, *Parametopia*
indica, *Pria*
indicus, *Circopes*
indicus, *Cyllodes*
insolita, *Epuraea*
insularis, *Cyllodes*
insularis, *Pocadites*
intendens, *Haptoncus luteolus*
interstitialis, *Megauchenia*
- japonius*, *Glischrochilus*

kraatzi, *Heterhelus*

latipes, *Pria*
latissima, *Epuraea*
latus, *Brachypeplus*
latus, *Cillaeus*
lepidus, *Carpophilus*
lesnei, *Cryptarcha*
lewisi, *Carpophilus dimidiatus*
ligatus, *Carpophilus*
limbalis, *Carpophilus dimidiatus*
limbatus, *Cyllodes*
longipennis, *Macrourea*
lowei, *Brachypeplus*
luminosus, *Meligethes*
luridus, *Carpophilus dimidiatus*
luteolus, *Haptoncus*
luteolus, *Meligethes*

major, *Cybocephalus*
marginatus, *Circopes*
marginatus, *Cyllodes*
marginellus, *Carpophilus*
meligethoides, *Macrourea*
melleus, *Meligethes*
minima, *Soronia*
mirmidon, *Pria*
mixtus, *Meligethes*
montana, *Amystrops*
montanus, *Cyllodes indicus*
monticola, *Lasiodactylus*
motschulskyi, *Haptoncus*
multiguttata, *Stelidota*
multiguttata, *Stelidota nigrovaria*
murrayi, *Carpophilus*
muticus, *Amphicrossus*
mutilatus, *Carpophilus dimidiatus*

nankineus, *Glischroichilus japonius*
nigripennis, *Cybocephalus*
nigripennis, *Propetes*
nigripennis, *Tricanus*
nigritula, *Macrourea*
nigritula, *Macrourea orientalis*

nigritus, *Carpophilus dimidiatus*
nigrocastanea, *Aethina*
nigropunctata, *Cryptarcha*
nigropunctatus, *Cyllodes*
nigrovaria, *Stelidota*
notatus, *Brachypeplus*
notatus, *Cyllodes bifascies*

obesus, *Brachypeplus*
obesus, *Carpophilus*
oblongopunctatus, *Carpophilus*
oblongus, *Amphicrossus*
obscura, *Aethina*
obsoletus, *Carpophilus*
ochropterus, *Carpophilus dimidiatus*
octopunctata, *Cryptarcha*
ocularis, *Cryptarcha*
ocularis, *Haptoncus*
olliffi, *Platynema*
omissa, *Epuraea*
opacus, *Amphicrossus*
opponens, *Cyllodes bifascies*
orientalis, *Macrourea*
ornata, *Omosita*
ornata, *Epuraea exculta*
ornatus, *Carpophilus signatus*
ornatus, *Cyllodes bifascies*

pallida, *Pria*
parallelopipedus, *Trimenus*
patruelis, *Brachypeplus*
pauperculus, *Haptoncus luteolus*
peninsularis, *Megauchenia angustata*
perplexa, *Axyra*
persimilis, *Epuraea*
picea, *Cametis*
picinus, *Carpophilus humeralis*
pictus, *Lasiodactylus*
pictus, *Carpophilus hemipterus*
pilosellus, *Carpophilus*
pilosus, *Amphicrossus*
plagiata, *Pria*
plagiatiennis, *Carpophilus*
plagiatus, *Amphicrossus*
 ? *politus*, *Meligethes*
propinqua, *Epuraea*
puberulus, *Carpophilus dimidiatus*
pubescens, *Carpophilus*

pubescens, Lasiodactylus
pubescens, Haptoncus luteolus
 pumila, Epuraea
 punctatissimus, Tricanus
punctatus, Carpophilus humeralis
 puncticeps, Cybocephalus
 puncticollis, Aethina
 pusillus, Haptoncus
pusillus, Carpophilus dimidiatus

quadratus, Carpophilus hemipterus
quadriguttatus, Carpophilus hemipterus
 quadrimaculata, Prometopia
 quadrimaculatus Cyllodes
 quadrinotatus, Cyllodes
 quadrinotatus, Lasiodactylus
quadrisignatus, Carpophilus hemipterus

rajah, Cryptarcha
 reflexicollis, Haptoncus
 reitteri, Lasiodactylus
 reitteri, Oxycnemus
 reitteri, Physoronia
respondens, Macroura orientalis
 reticulata, Epuraea
 ritsemai, Cryptarcha
robustus, Carpophilus dimidiatus
 rubricollis, Meligethes
 rufithorax, Meligethes
 rufomaculata, Cryptarcha

sericeus, Carpophilus
 setosula, Prometopia
 sexpunctatus, Cyllodes
 sibirica, Ipidia
 signatus, Carpophilus
significans, Haptoncus ocularis
 simoni, Cillaeus
 smaragdicolis, Cybocephalus
 splendens, Cybocephalus
 striatopunctatus, Tricanus

strigipennis, Carpophilus obsoletus
 submaculata, Epuraea
 subochracea, Epuraea
 subquadratus, Circopes
 subquadratus, Cybocephalus
subquadratus, Haptoncus luteolus
 subrotundatus, Cybocephalus
 subrugosa, Macroura
 subtilis, Epuraea

tectus, Carpophilus
tempestivus, Carpophilus dimidiatus
 testaceus, Haptoncus
 testaceus, Pocadius
testaceus, Carpophilus dimidiatus
testudinarius, Lasiodactylus pictus
tetragonus, Haptoncus ocularis
texanus, Haptoncus luteolus
thiemei, Haptoncus ocularis
trinotata, Parametopia tripunctata
 tripunctata, Parametopia

undulatus, Carpophilus
 undulatus, Cyllodes

variegatus, Cyllodes
 vicina, Aethina
 vicinus, Pallodes
vittiger, Carpophilus dimidiatus
vulpecula, Haptoncus testaceus

waterhousei, Ecnomaeus
 waterhousei, Epuraea
 waterhousei, Meligethes

yunnanensis, Pocadius

